

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L24	31	(US-20020133685-\$ or US-20030196065-\$ or US-20030196066-\$ or US-20030204702-\$ or US-20050125623-\$ or US-20020156962-\$ or US-20050021925-\$ or US-20050027961-\$ or US-20040215918-\$).did. or (US-5375214-\$ or US-5446854-\$ or US-5465337-\$ or US-5475827-\$ or US-5479627-\$ or US-5526504-\$ or US-5617554-\$ or US-5796978-\$ or US-5835963-\$ or US-5895501-\$ or US-5907867-\$ or US-5956756-\$ or US-6233652-\$ or US-6549997-\$ or US-6625715-\$ or US-6647482-\$ or US-6715057-\$ or US-6751583-\$ or US-5426750-\$ or US-5963984-\$ or US-6078987-\$ or US-6772281-\$). did.	US-PGPUB; USPAT	OR	ON	2006/01/04 10:32
L26	30	L24 AND (software OR medium\$1 OR computer\$1)	US-PGPUB; USPAT	OR	ON	2006/01/04 10:33
L27	30	L24 AND (software OR medium\$1 OR computer\$1 OR code OR program\$1)	US-PGPUB; USPAT	OR	ON	2006/01/04 10:33
L28	964	(translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 ((compar\$3 OR examin\$3 OR hit\$1 OR match\$3 OR inspect\$3) near3 (EA OR entr\$3 OR ((effective OR virtual OR logical OR linear) ADJ2 address\$2)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:14
L29	3444	((711/6) or (711/202) or (711/203) or (711/206-209)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/04 11:15
L30	389	((711/212) or (711/221)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/04 11:15
L31	90557	(translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 (enabl\$3 OR bypass\$3 OR disabl\$3 OR activ\$5 OR inactiv\$5 OR permit\$4 OR inhibit\$3 OR prohibit\$3 OR prevent\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:15
L32	121	L28 AND L31 AND (L29 OR L30)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:16

L33	11	(L28 SAME L31) AND (L29 OR L30)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:16
S1	0	(dale-jason OR dement-jonathan OR Fernsler-kimberly).in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:22
S2	8	(dale-jason-n\$ OR dement-jonathan-j\$ OR Fernsler-kimberly-m\$).in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/23 08:56
S3	3433	((711/6) or (711/202) or (711/203) or (711/206-209)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/12/23 08:57
S4	388	((711/212) or (711/221)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/12/23 08:59
S5	6068	(address near3 (translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 table\$1) OR ERAT	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:15
S6	20288	(address near3 (translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 table\$1) OR ERAT OR (page\$1 near3 table\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:16
S7	4954	TLB OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:23
S8	23356	TLB OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3) OR (address near3 (translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 table\$1) OR ERAT OR (page\$1 near3 table\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 10:38
S9	2	("20020133685").PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/12/23 09:28
S10	3691	(variable OR multiple OR assorted OR different OR diverse\$4 OR many OR numerous\$2 OR several\$2 OR various OR varie\$1 OR vary\$3) near4 (page\$1) near4 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/23 12:11

S11	353	S8 SAME S10	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/23 12:25
S12	3433	((711/6) or (711/202) or (711/203) or (711/206-209)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/12/23 09:55
S13	388	((711/212) or (711/221)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/12/23 09:55
S14	166	S11 AND (S12 OR S13)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/23 10:07
S15	207999	PSI OR ((page\$1) near4 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR designat\$3 OR label\$3 OR select\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:18
S16	3701	(S12 OR S13)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/23 10:07
S17	67	S8 SAME (S10 SAME S15) AND S16	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/23 12:34
S18	0	("6549997").URPN.	USPAT	OR	ON	2005/12/23 10:31
S19	0	("2002/0133685").URPN.	USPAT	OR	ON	2005/12/23 10:31
S20	20	("5263140" "5319590" "5375214" "5446854" "5465337" "5475827" "5479627" "5526504" "5535351" "5617554" "5706461" "5712998" "5717885" "5765209" "5796978" "5802605" "5907867" "5956756" "6205530" "6233652").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/23 10:31
S21	2559	(variable OR multiple OR assorted OR different OR diverse\$4 OR many OR numerous\$2 OR several\$2 OR various OR varie\$1 OR vary\$3) near4 (page\$1) near4 (size\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/29 15:10
S22	205393	PSI OR ((page\$1) near4 (size\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR label\$3 OR select\$3 OR entr\$3 OR field\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:17

S23	931	S8 AND S10	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:44
S24	79	S23 AND (S22 near10 (table\$1 near5 entr\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/23 12:38
S25	60	S24 AND S16	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/23 12:38
S26	76	S23 AND (S22 near5 (table\$1 near5 entr\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/23 13:05
S27	58	S26 AND S16	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/23 13:05
S28	205281	PSI OR ((page\$1) near4 (size\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR label\$3 OR select\$3 OR field\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/28 16:10
S29	44	S23 AND (S28 near5 (table\$1 near5 entr\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/23 13:05
S30	33	S29 AND S16	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/23 13:08
S31	17	(PSI OR ((page\$1) near4 (size\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR label\$3 OR select\$3 OR field\$1))) ADJ5 (based OR contingent OR correspond\$3 OR depend\$3) ADJ5 (page\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/28 16:14
S32	9	("5282274" "5446854" "5479627" "5526504" "5918245" "5956756" "6079004" "6157986").PN. OR ("6625715").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/28 16:33
S33	0	("2003/0196066").URPN.	USPAT	OR	ON	2005/12/28 16:51

S34	23	(US-20020133685-\$ or US-20030196065-\$ or US-20030204702-\$ or US-20050125623-\$ or US-20030196066-\$).did. or (US-5375214-\$ or US-5446854-\$ or US-5465337-\$ or US-5475827-\$ or US-5479627-\$ or US-5526504-\$ or US-5617554-\$ or US-5796978-\$ or US-5835963-\$ or US-5895501-\$ or US-5907867-\$ or US-5956756-\$ or US-6233652-\$ or US-6549997-\$ or US-6647482-\$ or US-6715057-\$ or US-6625715-\$ or US-6751583-\$). did.	US-PGPUB; USPAT	OR	ON	2005/12/29 15:09
S35	6	((page\$1 OR table\$1 OR ERAT) near5 entr\$3) near8 (invalid\$5 OR delet\$3 OR void\$3 OR disabl\$3 OR eras\$3 OR negat\$3 OR null\$4 OR revok\$3)) AND S34	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/29 15:17
S36	4	((("5263140") or ("5319590")).PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/12/29 16:21
S37	223638	(translat\$3 OR decod\$3 OR map\$1 OR mapp\$3 OR compar\$4) near3 (enabl\$3 OR bypass\$3 OR disabl\$3 OR activ\$5 OR inactiv\$5 OR avoid\$3 OR abstain\$3 OR permit\$4 OR inhibit\$3 OR prohibit\$3 OR prevent\$3 OR restrict\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:51
S38	23	(US-20020133685-\$ or US-20030196065-\$ or US-20030196066-\$ or US-20030204702-\$ or US-20050125623-\$).did. or (US-5375214-\$ or US-5446854-\$ or US-5465337-\$ or US-5475827-\$ or US-5479627-\$ or US-5526504-\$ or US-5617554-\$ or US-5796978-\$ or US-5835963-\$ or US-5895501-\$ or US-5907867-\$ or US-5956756-\$ or US-6233652-\$ or US-6549997-\$ or US-6625715-\$ or US-6647482-\$ or US-6715057-\$ or US-6751583-\$). did.	US-PGPUB; USPAT	OR	ON	2006/01/03 10:54
S39	17	S37 AND S38	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 10:55

S40	23445	TLB OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3) OR (address near3 (translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 table\$1) OR ERAT OR (page\$1 near3 table\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:44
S41	3722	(variable OR multiple OR assorted OR different OR diverse\$4 OR many OR numerous\$2 OR several\$2 OR various OR varie\$1 OR vary\$3) near4 (page\$1) near4 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:44
S42	935	S40 AND S41	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:44
S43	3444	((711/6) or (711/202) or (711/203) or (711/206-209)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/03 11:45
S44	389	((711/212) or (711/221)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/03 11:45
S45	169	S42 AND S37 AND (S43 OR S44)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:48
S46	167	S42 AND S37 AND (S43)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:52
S47	4	S42 AND S37 AND (S43 AND S44)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:46
S48	6	S42 AND S37 AND (S44)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:48
S49	90557	(translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 (enabl\$3 OR bypass\$3 OR disabl\$3 OR activ\$5 OR inactiv\$5 OR permit\$4 OR inhibit\$3 OR prohibit\$3 OR prevent\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:37
S50	124	S42 AND S49 AND (S43)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:53

S51	118	S50 AND @ad<"20031209"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:54
S52	89	((writ\$3 OR add\$3) near4 (EA OR ((effective OR virtual OR logical OR linear) ADJ2 address\$2))) SAME S37	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:51
S53	35	S52 AND (S43 OR S44)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:51
S54	63	((writ\$3 OR add\$3) near4 (EA OR ((effective OR virtual OR logical OR linear) ADJ2 address\$2))) SAME S49	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:51
S55	25	S54 AND (S43 OR S44)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:52
S56	211794	PSI OR ((each OR individual\$2 OR separate) near3 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3 OR length\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR designat\$3 OR label\$3 OR select\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:40
S57	7	S56 AND (S40 SAME S41) AND (S43 OR S44)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:43
S58	12	S56 AND (S40 AND S41) AND (S43 OR S44)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:39
S59	5	S56 AND (S40 AND S41) AND (S43 OR S44) NOT S57	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:39
S60	455306	PSI OR ((each OR individual\$2 OR separate OR select\$3 OR choos\$3 OR every) near3 ((size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3 OR length\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR designat\$3 OR label\$3 OR select\$3)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:54

S61	55	S60 AND (S40 SAME S41) AND (S43 OR S44)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:57
S62	49	S60 AND (S40 SAME S41) AND (S43 OR S44) NOT S58	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:44
S63	363036	(base OR default OR initial OR preferred OR primary OR principal OR fundamental) near3 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3 OR length\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:56
S64	11	S63 SAME (S40 SAME S41) AND (S43 OR S44)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:08
S65	49	S63 AND (S40 SAME S41) AND (S43 OR S44)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:09
S67	4503	S49 WITH (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:21
S68	98	S67 AND (S43 OR S44)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:22
S69	249	S40 AND (S49 WITH (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:21
S70	64	S69 AND (S43 OR S44)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:22
S71	56	S69 AND (S43 OR S44) AND @ad<"20031209"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:23
S72	1454	(translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 ((compar\$3 OR examin\$3 OR hit\$1 OR match\$3 OR inspect\$3) near3 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3 OR length))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:11

S73	390	S72 AND S49	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:45
S74	11	S72 AND S49 AND (S43 OR S44)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:15